



M8 Circular Connectors according to IEC 61076-2-104

M8 Cordsets, Single-ended

RSMV



M8 male connector

Actuator/sensor cordset, single-ended, M8 male connector with threaded joint and molded cable, 3 and 4 poles

Outer jacket material:
06 | 07 = PVC, orange
224 | 225 = PUR halogen-free, black

Type	Order No.
RSMV 3-06/2 M	11675
RSMV 3-06/5 M	11676
RSMV 3-06/10 M	11674
RSMV 3-224/2 M	43640
RSMV 3-224/5 M	43648
RSMV 3-224/10 M	43624
RSMV 4-07/2 M	11713
RSMV 4-07/5 M	11714
RSMV 4-07/10 M	11712
RSMV 4-225/2 M	43748
RSMV 4-225/5 M	38600
RSMV 4-225/10 M	43746

RSMWV



M8 male connector, angled

Actuator/sensor cordset, single-ended, M8 male right angle connector with self-locking threaded joint and molded cable, 3 and 4 poles

Outer jacket material:
06 | 07 = PVC, orange
224 | 225 = PUR halogen-free, black

Type	Order No.
RSMWV 3-06/2 M	on request
RSMWV 3-06/5 M	on request
RSMWV 3-06/10 M	on request
RSMWV 3-224/2 M	on request
RSMWV 3-224/5 M	on request
RSMWV 3-224/10 M	on request
RSMWV 4-07/2 M	on request
RSMWV 4-07/5 M	on request
RSMWV 4-07/10 M	on request
RSMWV 4-225/2 M	on request
RSMWV 4-225/5 M	on request
RSMWV 4-225/10 M	on request

RKM



M8 female connector

Actuator/sensor cordset, single-ended, M8 female connector with snap-in joint and molded cable, 3 and 4 poles

Outer jacket material:
06 | 07 = PVC, orange
224 | 225 = PUR halogen-free, black

Type	Order No.
RKM 3-06/2 M	11278
RKM 3-06/5 M	11279
RKM 3-06/10 M	11277
RKM 3-224/2 M	25696
RKM 3-224/5 M	38427
RKM 3-224/10 M	43554
RKM 4-07/2 M	11284
RKM 4-07/5 M	11285
RKM 4-07/10 M	11283
RKM 4-225/2 M	44584
RKM 4-225/5 M	44554
RKM 4-225/10 M	46227

RKMW



M8 female connector, angled

Actuator/sensor cordset, single-ended, M8 female right angle connector with snap-in joint and molded cable, 3 and 4 poles

Outer jacket material:
06 | 07 = PVC, orange
224 | 225 = PUR halogen-free, black

Type	Order No.
RKMW 3-06/2 M	11306
RKMW 3-06/5 M	11307
RKMW 3-06/10 M	11305
RKMW 3-224/2 M	43571
RKMW 3-224/5 M	43574
RKMW 3-224/10 M	43468
RKMW 4-07/2 M	11312
RKMW 4-07/5 M	11313
RKMW 4-07/10 M	11311
RKMW 4-225/2 M	44423
RKMW 4-225/5 M	44550
RKMW 4-225/10 M	46228

M8 Circular Connectors according to IEC 61076-2-104

M8 Cordsets, Single-ended

RKMV**M8 female connector**

Actuator/sensor cordset, single-ended, M8 female connector with self-locking threaded joint and molded cable, 3–8 poles

Outer jacket material:

06 | 07 = PVC, orange
224 | 225 | 354 = PUR halogen-free, black

Type	Order No.
RKMV 3-06/2 M	11294
RKMV 3-06/5 M	11295
RKMV 3-06/10 M	11293
RKMV 3-224/2 M	17852
RKMV 3-224/5 M	12955
RKMV 3-224/10 M	43566
RKMV 4-07/2 M	11300
RKMV 4-07/5 M	11301
RKMV 4-07/10 M	11299
RKMV 4-225/2 M	28383
RKMV 4-225/5 M	18213
RKMV 4-225/10 M	18215
RKMV 8-354/2 M	91033
RKMV 8-354/5 M	96490
RKMV 8-354/10 M	96491

RKMVW**M8 female connector, angled**

Actuator/sensor cordset, single-ended, M8 female right angle connector with self-locking threaded joint and molded cable, 3 and 4 poles

Outer jacket material:

06 | 07 = PVC, orange
224 | 225 = PUR halogen-free, black

Type	Order No.
RKMVW 3-06/2 M	11324
RKMVW 3-06/5 M	11325
RKMVW 3-06/10 M	11323
RKMVW 3-224/2 M	13169
RKMVW 3-224/5 M	13178
RKMVW 3-224/10 M	43590
RKMVW 4-07/2 M	11330
RKMVW 4-07/5 M	11331
RKMVW 4-07/10 M	11329
RKMVW 4-225/2 M	28382
RKMVW 4-225/5 M	27642
RKMVW 4-225/10 M	39022

RKMV/LED**M8 female connector, angled**

Actuator/sensor cordset, single-ended, M8 female right angle connector with LED operation and function indicator, snap-in joint and molded cable, 3 poles

Outer jacket material:

06 = PVC, orange
224 = PUR halogen-free, black

Type	Order No.
RKMV/LED A 3-06/2 M	11318
RKMV/LED A 3-06/5 M	11319
RKMV/LED A 3-06/10 M	11317
RKMV/LED A 3-224/2 M	40536
RKMV/LED A 3-224/5 M	43582
RKMV/LED A 3-224/10 M	43578

RKMVW/LED**M8 female connector, angled**

Actuator/sensor cordset, single-ended, M8 female right angle connector with LED operation and function indicator, self-locking threaded joint and molded cable, 3 poles

Outer jacket material:

06 = PVC, orange
224 = PUR halogen-free, black

Type	Order No.
RKMVW/LED A 3-06/2 M	11336
RKMVW/LED A 3-06/5 M	11337
RKMVW/LED A 3-06/10 M	11335
RKMVW/LED A 3-224/2 M	14007
RKMVW/LED A 3-224/5 M	14005
RKMVW/LED A 3-224/10 M	14006

M8 Circular Connectors according to IEC 61076-2-104

M8 Cordsets – Single-ended, M8 Field Attachable Connectors

RKMVS**M8 female connector with shielding**

Actuator/sensor cordset, single-ended, M8 female connector with self-locking threaded joint and molded cable, shielding connected to knurled nut, 3 and 4 poles

Outer jacket material:
357 | 358 = PUR halogen-free, black

Type	Order No.
RKMVS 3-357/5 M	75021
RKMVS 4-358/5 M	75022

RKMWVS**M8 female connector, angled with shielding**

Actuator/sensor cordset, single-ended, M8 female right angle connector with self-locking threaded joint and molded cable, shielding connected to knurled nut, 3 and 4 poles

Outer jacket material:
357 | 358 = PUR halogen-free, black

Type	Order No.
RKMWVS 3-357/5 M	75023
RKMWVS 4-358/5 M	75024

RSMC**M8 male connector**

Field attachable connector, M8 male connector with threaded joint, assembling with solder connections, 3 and 4 poles

Type	Order No.
RSMC 3	11652
RSMC 4	11653

RSMCW**M8 male connector, angled**

Field attachable connector, M8 male right angle connector with threaded joint, assembling with solder connections, 3 and 4 poles

Type	Order No.
RSMCW 3	69544
RSMCW 4	69545

RSMCK**M8 male connector**

Field attachable connector, M8 male connector with threaded joint, assembling with screw terminals, 3 and 4 poles

Type	Order No.
RSMCK 3	28044
RSMCK 4	28045

RSMCQ**M8 male connector**

Field attachable connector, M8 male connector with threaded joint, 3 and 4 poles, strain relief by means of clamping cage, Quick connection (Piercing-in technology)

Type	Order No.
RSMCQ 3	933 406-100
RSMCQ 4	933 407-100

RSMCWQ**M8 male connector, angled**

Field attachable connector, M8 male right angled connector with threaded joint, 3 and 4 poles, strain relief by means of clamping cage, Quick connection (Piercing-in technology)

Type	Order No.
RSMCWQ 3	933 408-100
RSMCWQ 4	933 409-100

M8 Circular Connectors according to IEC 61076-2-104

M8 Field Attachable Connectors, M8 Receptacle Connectors

RKMC**M8 female connector**

Field attachable connector, M8 female connector with threaded joint, assembling with solder connections, 3 and 4 poles

Type	Order No.
RKMC 3	2057
RKMC 4	2058

RKMCW**M8 female connector, angled**

Field attachable connector, M8 female right angle connector with threaded joint, assembling with solder connections, 3 and 4 poles

Type	Order No.
RKMCW 3	69542
RKMCW 4	69543

RKMCK**M8 female connector**

Field attachable connector, M8 female connector with threaded joint, assembling with screw terminals, 3 and 4 poles

Type	Order No.
RKMCK 3	28046
RKMCK 4	28047

RKMCQ**M8 female connector**

Field attachable connector, M8 female connector with threaded joint, 3 and 4 poles, strain relief by means of clamping cage, Quick connection (Piercing-in technology)

Type	Order No.
RKMCQ 3	933 366-100
RKMCQ 4	933 367-100

RKMCWQ**M8 female connector, angled**

Field attachable connector, M8 female right angled connector with threaded joint, 3 and 4 poles, strain relief by means of clamping cage, Quick connection (Piercing-in technology)

Type	Order No.
RKMCWQ 3	933 368-100
RKMCWQ 4	933 369-100

RSMHL.../S 5,5**M8 male connector**

Receptacle connector, M8 male connector for back mounting, printed contacts, chassis side thread M10x1 (panel nut included), 3 and 4 poles

Type	Order No.
RSMHL 3/S 5,5	46316
RSMHL 4/S 5,5	48962

RKMHL.../S 5,5**M8 female connector**

Receptacle connector, M8 female connector for back mounting, 3 and 4 poles, printed contacts, chassis side thread M10x1 (panel nut included)

Type	Order No.
RKMHL 3/S 5,5	48977
RKMHL 4/S 5,5	48978

M8 Circular Connectors according to IEC 61076-2-104

M8 Receptacle Connectors

RSMF.../0.5 M**M8 male connector**

Receptacle connector, M8 male connector for front mounting, 3–8 poles, assembled stranded wire, solder contacts potted with epoxy, chassis side thread M8x0.5 (panel nut RSKF 8)

Type	Order No.
RSMF 3/0.5 M	11672
RSMF 4/0.5 M	11673
RSMF 8/0.5 M	91740

RKMF.../0.5 M**M8 female connector**

Receptacle connector, M8 female connector for front mounting, 3 and 4 poles, assembled stranded wire, solder contacts potted with epoxy, chassis side thread M8x0.5 (panel nut RSKF 8)

Type	Order No.
RKMF 3/0.5 M	11291
RKMF 4/0.5 M	11292

RSME**M8 male connector for sensors**

Receptacle connector, M8 male connector for sensors, 3 poles, with long solder contacts, solid contacts on solder side

Type	Order No.
RSME 3	11654

RSMEK**M8 male connector for sensors**

Receptacle connector, M8 male connector for sensors, 3 and 4 poles, with short solder contacts, solid contacts on solder side

RSMEK: without ventilation hole
RSMEK...L: with ventilation hole 1,1 mm Ø

Type	Order No.
RSMEK 3 L	11668
RSMEK 4	11669

RSEM**M8 male connector for sensors**

Receptacle connector, M8 male connector for sensors, 8 poles, with long solder contacts, solid contacts on solder side

Type	Order No.
RSEM 8	91607

RSMEJ | RSMEH**M8 male connector for sensors**

Receptacle connector, M8 male connector for sensors, 3 and 4 poles, with snap-in joint, translucent ring, short solder contacts, hollow contacts (RSMEJ) or solid contacts (RSMEH) on solder side

Type	Order No.
RSMEJ 3	11665
RSMEH 3	11663
RSMEH 4	11664

RSMED | RSMEB**M8 male connector for sensors**

Receptacle connector, M8 male connector for sensors, 3 and 4 poles, with combined snap-in/threaded joint, 4 light indicator windows, mounting hole for LED, short solder contacts, hollow contacts (RSMED) or solid contacts (RSMEB) on solder side

Type	Order No.
RSMED 3	11657
RSMED 4	11658
RSMEB 3	11655
RSMEB 4	11656

M8 Circular Connectors according to IEC 61076-2-104

M8 Receptacle Connectors, M8 Accessories

RSMEDG**M8 male connector for sensors**

Receptacle connector, M8 male connector for sensors, 8 poles, with combined snap-in/threaded joint, mounting hole for LED, short solder contacts, hollow contacts on solder side

Type	Order No.
RSMEDG 8	88036

RSMEDGN**M8 male connector for sensors**

Receptacle connector, M8 male connector for sensors, 3 and 4 poles, with housing of stainless steel, threaded joint, 4 light indicator windows, mounting hole for LED, short solder contacts, hollow contact on solder side

Type	Order No.
RSMEDGN 3	58598
RSMEDGN 4	55556

ZVKM

Miniature dust cover for unused M8 sockets

Type	Order No.
ZVKM	7116

RSKF 8

Panel nut for M8 male and female receptacles

Type	Order No.
RSKF 8	11644

ZKS 2

Mounting clip for M8 connectors

Type	Order No.
ZKS 2	74051

DMWKZ

Torque wrench for M8 and M12 connectors, Attachment for M12 connectors included

Type	Order No.
DMWKZ	62068

DMEWKZ 8

Attachment for DMWKZ for M8 connectors

Type	Order No.
DMEWKZ 8	62069