

Electronic housing - UM-BASIC PROFILE - 2200149

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Panel mounting base, Lower part, color: light gray, length: 1000 mm, height: 40 mm, Note: required profile length = PCB length - 16.2 mm



Why buy this product

- ✓ Item is from the UM-BASIC/UM-PRO product range
- ✓ PVC press-drawn section (UM-BASIC) or PA (UM-PRO)
- ✓ Available in individual lengths
- ✓ Available in the overall widths of 72 mm, 108 mm, and 122 mm
- ✓ Variety of connection technologies
- ✓ Can be mounted on the DIN rail

RoHS

Key Commercial Data

Packing unit	1 STK
Custom tariff number	39162000
Country of origin	Germany
Note	Made to Order (non-returnable)

Technical data

General

Housing type	Panel mounting base
Housing material	PVC
Color (RAL)	light gray

Ambient conditions

Ambient temperature (operation)	-15 °C ... 50 °C (depending on power dissipation)
---------------------------------	---

Dimensions

Length	1000 mm
Constructional height	40 mm
Depth	127.5 mm

Technical data

Electronic housing - UM-BASIC PROFILE - 2200149

Technical data

Technical data

Number of positions	999
---------------------	-----

Standards and Regulations

Flammability rating according to UL 94	V0
--	----

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 4.0	27260700
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27400501
eCl@ss 7.0	27182701
eCl@ss 8.0	27182701
eCl@ss 9.0	27182701

ETIM

ETIM 3.0	EC002643
ETIM 4.0	EC000482
ETIM 5.0	EC002779
ETIM 6.0	EC002779

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Accessories

Accessories

Screwdriver tools

Electronic housing - UM-BASIC PROFILE - 2200149

Accessories

Screwdriver - SZF 0-0,4X2,5 - 1204504



Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size: 0.4 x 2.5 x 75 mm, 2-component grip, with non-slip grip

Necessary add-on products

Components of electronic housing - UM-BASIC/PRO 72 COVER-L KMGY - 2202018



Lateral element (left) with mounting foot for DIN rails for UM-BASIC profiles with a PCB width of 72 mm

Components of electronic housing - UM-BASIC/PRO 72 COVER-R KMGY - 2202019



Lateral element (right) with mounting foot for DIN rails for UM-BASIC profiles with a PCB width of 72 mm

Components of electronic housing - UM-BASIC/PRO 108 COVER-L KMGY - 2202021



Lateral element (left) with mounting foot for DIN rails for UM-PRO profiles with a PCB width of 108 mm

Components of electronic housing - UM-BASIC/PRO 108 COVER-R KMGY - 2202022



Lateral element (right) with mounting foot for DIN rails for UM-BASIC profiles with a PCB width of 108 mm

Electronic housing - UM-BASIC PROFILE - 2200149

Accessories

Components of electronic housing - UM-BASIC/PRO 122 COVER-L KMGY - 2202045

Lateral element (left) with mounting foot for DIN rails for UM-BASIC profiles with a PCB width of 122 mm



Components of electronic housing - UM-BASIC/PRO 122 COVER-R KMGY - 2202046

Lateral element (right) with mounting foot for DIN rails for UM-BASIC profiles with a PCB width of 122 mm



Electronic housing - UM-BASIC/PRO A/U N 73 CM - 2202035

Panel mounting base, Cover, color: transparent, width: 73 mm, length: 1000 mm, height: 24 mm, Note: max. length of the cover = PCB length = 19 mm



Electronic housing - UM-BASIC/PRO A/U 73 CM - 2202036

Panel mounting base, Cover, color: transparent, width: 73 mm, length: 1000 mm, height: 63.2 mm, Note: max. length of the cover = PCB length = 19 mm



Electronic housing - UM-BASIC/PRO A/U 92 CM - 2202037

Panel mounting base, Cover, color: transparent, width: 92 mm, length: 1000 mm, height: 34 mm, Note: max. length of the cover = PCB length = 19 mm



Additional products

Electronic housing - UM-BASIC PROFILE - 2200149

Accessories

Electronic housing - UM-BASIC/PRO PE CONTACT L1 - 2202025



PE contact for UM-BASIC panel mounting base for connecting the PCB to the DIN rail at level 1

Electronic housing - UM-BASIC/PRO PE CONTACT L2 - 2202026



PE contact for UM-BASIC panel mounting base for connecting the PCB to the DIN rail at level 1

Electronic housing - UM-BASIC/PRO PE CONTACT L3 - 2202027



PE contact for UM-BASIC panel mounting base for connecting the PCB to the DIN rail at level 1

Electronic housing - UM-BASIC/PRO PCB S-LOCK KMGY - 2202031



Locking element for locking the top PCB onto UM-PRO housing close to the edge

Electronic housing - UM-BASIC/PRO PCB C-LOCK L1KMGY - 2202028



Locking element for locking the PCB onto UM-BASIC/PRO housing at level 1

Electronic housing - UM-BASIC PROFILE - 2200149

Accessories

Electronic housing - UM-BASIC/PRO PCB C-LOCK L2KMGY - 2202029



Locking element for locking the PCB onto UM-BASIC/PRO housing at level 2

Electronic housing - UM-BASIC/PRO PCB C-LOCK L3KMGY - 2202030



Locking element for locking the PCB onto UM-BASIC/PRO housing at level 3

Electronic housing - UM-BASIC/PRO MOUNT KMGY - 2202032



Panel mounting base, color: light gray

Electronic housing - UM-BASIC/PRO 72 FOOT KMGY - 2202020



Panel mounting base, color: light gray

Electronic housing - UM-BASIC/PRO 108 FOOT KMGY - 2202023



Panel mounting base, color: light gray

Electronic housing - UM-BASIC/PRO 122 FOOT KMGY - 2202024

Panel mounting base, color: light gray
