

Components of electronic housing - UM-PRO 122 COVER-R BK - 2200159

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Lateral element (right) with mounting foot for DIN rails for UM-PRO profiles for PCB the width of 108 mm



Why buy this product

- ✓ Available in individual lengths
- Available in the overall widths of 72 mm, 108 mm, and 122 mm
- ✓ Variety of connection technologies
- Can be mounted on the DIN rail



Key Commercial Data

Packing unit	10 STK
Minimum order quantity	10 STK
GTIN	4 046356 547413
GTIN	4046356547413
Weight per Piece (excluding packing)	19.360 g
Custom tariff number	39269097
Country of origin	Germany

Technical data

General

Housing type	Panel mounting base
Housing material	Polyamide
Color (RAL)	black

Ambient conditions

Ambient temperature (operation)	-40 °C 105 °C (depending on power dissipation)
---------------------------------	--

11/06/2017 Page 1 / 3



Components of electronic housing - UM-PRO 122 COVER-R BK - 2200159

Technical data

Dimensions

Length	15.5 mm
Constructional height	40 mm
Width	142.3 mm

Standards and Regulations

Flammability rating according to UL 94	V0
--	----

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e	
	No hazardous substances above threshold values	

Classifications

eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27182003
eCl@ss 7.0	27182701
eCl@ss 8.0	27182701
eCl@ss 9.0	27182701

ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC000721
ETIM 5.0	EC002779
ETIM 6.0	EC002779

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Approvals

Approvals

11/06/2017 Page 2 / 3



Components of electronic housing - UM-PRO 122 COVER-R BK - 2200159

Approvals		
Approvals		
UL Recognized		
Ex Approvals		
Approval details		
UL Recognized	http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	FILE E 240868

Phoenix Contact 2017 © - all rights reserved http://www.phoenixcontact.com