

# Electronic housing - UM-PRO A/U 73 CM - 2200311

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Panel mounting base, Cover, color: transparent, width: 73 mm, length: 1000 mm, height: 63.2 mm, Note: max. length of the cover = PCB length = 19 mm

### Why buy this product

- ✓ PVC press-drawn section (UM-BASIC) or PA (UM-PRO)
- ✓ Available in individual lengths
- Available in the overall widths of 72 mm, 108 mm, and 122 mm
- ✓ Variety of connection technologies
- Can be mounted on the DIN rail



## **Key Commercial Data**

| Packing unit         | 1 STK                          |
|----------------------|--------------------------------|
| Custom tariff number | 39162000                       |
| Country of origin    | Germany                        |
| Note                 | Made to Order (non-returnable) |

### Technical data

### General

| Housing type     | Panel mounting base |
|------------------|---------------------|
| Housing material | PC                  |
| Color (RAL)      | transparent         |

#### Ambient conditions

| Ambient temperature (operation) | -40 °C 100 °C (depending on power dissipation) |
|---------------------------------|------------------------------------------------|
|---------------------------------|------------------------------------------------|

#### **Dimensions**

| Length                | 1000 mm |
|-----------------------|---------|
| Constructional height | 63.2 mm |
| Width                 | 73 mm   |
| Depth                 | 73 mm   |

11/06/2017 Page 1 / 3



# Electronic housing - UM-PRO A/U 73 CM - 2200311

## Technical data


## Standards and Regulations

| Flammability rating according to UL 94 | V0 |
|----------------------------------------|----|
| Environmental Product Compliance       |    |

| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|------------|---------------------------------------------------------|
|            | No hazardous substances above threshold values          |

# **Drawings**

### Dimensional drawing



## Classifications

# eCl@ss

| eCl@ss 4.0 | 27180401 |
|------------|----------|
| eCl@ss 4.1 | 27180401 |
| eCl@ss 5.0 | 27180506 |
| eCl@ss 5.1 | 27180506 |
| eCl@ss 6.0 | 27400501 |
| eCl@ss 7.0 | 27182701 |
| eCl@ss 8.0 | 27182701 |
| eCl@ss 9.0 | 27182701 |

### **ETIM**

| ETIM 3.0 | EC001031 |
|----------|----------|
| ETIM 4.0 | EC000386 |
| ETIM 5.0 | EC002779 |
| ETIM 6.0 | EC002779 |

### **UNSPSC**

| UNSPSC 6.01   | 31261501 |
|---------------|----------|
| UNSPSC 7.0901 | 31261501 |
| UNSPSC 11     | 31261501 |
| UNSPSC 12.01  | 31261501 |

11/06/2017 Page 2 / 3



# Electronic housing - UM-PRO A/U 73 CM - 2200311

## Classifications

UNSPSC

| UNSPSC 13.2 | 31261501 |
|-------------|----------|
|             |          |

### Accessories

Necessary add-on products

Components of electronic housing - UM-PRO LID-73 BK - 2200173



Panel mounting base, Side part, color: black, width: 9.95 mm, length: 76 mm, height: 65.7 mm

Phoenix Contact 2017 © - all rights reserved http://www.phoenixcontact.com