

## Electronic housing - HC-ALU 6-78 PROFILE 200 - 2200894

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Panel mounting base, Lower part, color: aluminum color, width: 98.5 mm, length: 200 mm, height: 32.8 mm

### Why buy this product

- ✓ Item is from the HC-ALU product range
- ✓ Aluminum press-drawn section
- ✓ Available in lengths from 100 mm ... 1000 mm, can be individually cut to any length
- ✓ Available in overall widths 53.5 mm ... 161 mm
- ✓ Degree of protection up to IP65
- ✓ Usable as handheld and wall housing
- ✓ Optional EMC seals available

RoHS

### Key Commercial Data

Packing unit	1 STK
GTIN	 4 046356 716215
GTIN	4046356716215
Weight per Piece (excluding packing)	365.200 g
Custom tariff number	76042100
Country of origin	Hungary
Note	Made to Order (non-returnable)

### Technical data

#### General

Housing type	Panel mounting base
Housing material	Aluminum
Color (RAL)	aluminum color

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 85 °C
---------------------------------	------------------

## Electronic housing - HC-ALU 6-78 PROFILE 200 - 2200894


### Technical data

#### Dimensions

Length	200 mm
Constructional height	32.8 mm
Width	98.5 mm
Depth	78 mm

### Drawings

Dimensional drawing



### Classifications

#### eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27182003
eCl@ss 7.0	27182701
eCl@ss 8.0	27182701
eCl@ss 9.0	27182701

#### ETIM

ETIM 3.0	EC001031
ETIM 4.0	EC000721
ETIM 5.0	EC002779
ETIM 6.0	EC002779

#### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

## Electronic housing - HC-ALU 6-78 PROFILE 200 - 2200894

### Accessories

#### Accessories

#### Mounting material

Mounting material - HC-ALU 6 DECO 200 GY - 2200916



Decorative strip for HC-ALU panel mounting base

---

Mounting material - HC-ALU 6 MOUNT 200 GY - 2200913



Mounting foot for panel mounting the HC-ALU panel mounting base

---

#### Seal

Seal - HC-ALU 6-78 SEAL EMC - 2200908



EMC seal for HC-ALU panel mounting base

---

#### Tool set

Tool set - SF-TXH SET - 1212538



Screwdriver set, Torx® with drill bit, 6-part, incl. rack, contents: TX 8 x 60; TX 10 x 80; TX 15 x 80; TX 20 x 100; TX 25 x 100; TX 30 x 115

---

Tool set - SF-M SET - 1212543



Bit screwdriver set with quick-action chuck, 89 mm long slotted/crosshead (PZ and PH)/hex/Torx® bits, 17-part, in folding belt pouch, contents: PH 1,2,3 x 89; PZ 1,2,3 x 89; SL 1.5 x 5.5 x 89; TX 10-30 x 89; SW 3,4,5,6 x 89

## Electronic housing - HC-ALU 6-78 PROFILE 200 - 2200894

### Accessories

#### Necessary add-on products

##### Components of electronic housing - HC-ALU 6-78 COVER GY - 2200896



Panel mounting base, Side part, color: gray, width: 101.9 mm, length: 15 mm, height: 36.2 mm

---

##### Components of electronic housing - HC-ALU 6-78 DKL-COVER GY - 2201122



Panel mounting base, Side part, color: gray, width: 101.9 mm, length: 15 mm, height: 36.2 mm

---