

Electronic housing - HC-ALU 6-100,5 PROFILE 100 - 2200897

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)


Panel mounting base, Lower part, color: aluminum color, width: 121 mm, length: 100 mm, height: 32.8 mm



Why buy this product

- Item is from the HC-ALU product range
- Aluminum press-drawn section
- Available in lengths from 100 mm ... 1000 mm, can be individually cut to any length
- Available in overall widths 53.5 mm ... 161 mm
- Degree of protection up to IP65
- Usable as handheld and wall housing
- Optional EMC seals available

Key Commercial Data

| | |
|--------------------------------------|---|
| Packing unit | 1 STK |
| GTIN |  4 046356 715799 |
| GTIN | 4046356715799 |
| Weight per Piece (excluding packing) | 207.100 g |
| Custom tariff number | 76042100 |
| Country of origin | Hungary |
| Note | Made to Order (non-returnable) |

Technical data

General

| | |
|------------------|---------------------|
| Housing type | Panel mounting base |
| Housing material | Aluminum |
| Color (RAL) | aluminum color |

Ambient conditions

| | |
|---------------------------------|------------------|
| Ambient temperature (operation) | -40 °C ... 85 °C |
|---------------------------------|------------------|

Electronic housing - HC-ALU 6-100,5 PROFILE 100 - 2200897


Technical data

Dimensions

| | |
|-----------------------|----------|
| Length | 100 mm |
| Constructional height | 32.8 mm |
| Width | 121 mm |
| Depth | 100.5 mm |

Drawings

Dimensional drawing



Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 27180401 |
| eCl@ss 4.1 | 27180401 |
| eCl@ss 5.0 | 27180506 |
| eCl@ss 5.1 | 27180506 |
| eCl@ss 6.0 | 27182003 |
| eCl@ss 7.0 | 27182701 |
| eCl@ss 8.0 | 27182701 |
| eCl@ss 9.0 | 27182701 |

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC001031 |
| ETIM 4.0 | EC000721 |
| ETIM 5.0 | EC002779 |
| ETIM 6.0 | EC002779 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 31261501 |
| UNSPSC 7.0901 | 31261501 |
| UNSPSC 11 | 31261501 |
| UNSPSC 12.01 | 31261501 |
| UNSPSC 13.2 | 31261501 |

Electronic housing - HC-ALU 6-100,5 PROFILE 100 - 2200897

Accessories

Accessories

Mounting material

Mounting material - HC-ALU 6 DECO 100 GY - 2200914



Decorative strip for HC-ALU panel mounting base

Mounting material - HC-ALU 6 MOUNT 100 GY - 2200911



Mounting foot for panel mounting the HC-ALU panel mounting base

Tool set

Tool set - SF-TXH SET - 1212538



Screwdriver set, Torx[®] with drill bit, 6-part, incl. rack, contents: TX 8 x 60; TX 10 x 80; TX 15 x 80; TX 20 x 100; TX 25 x 100; TX 30 x 115

Tool set - SF-M SET - 1212543



Bit screwdriver set with quick-action chuck, 89 mm long slotted/crosshead (PZ and PH)/hex/Torx[®] bits, 17-part, in folding belt pouch, contents: PH 1,2,3 x 89; PZ 1,2,3 x 89; SL 1.5 x 5.5 x 89; TX 10-30 x 89; SW 3,4,5,6 x 89

Necessary add-on products

Components of electronic housing - HC-ALU 6-100,5 COVER GY - 2200901



Panel mounting base, Side part, color: gray, width: 124.4 mm, length: 15 mm, height: 36.2 mm

Electronic housing - HC-ALU 6-100,5 PROFILE 100 - 2200897

Accessories

Components of electronic housing - HC-ALU 6-100,5 DKL-COVER GY - 2201123



Panel mounting base, Side part, color: gray, width: 124.4 mm, length: 15 mm, height: 36.2 mm

Seal - HC-ALU 6-100,5 SEAL EMC - 2200909



EMC seal for HC-ALU panel mounting base

Phoenix Contact 2017 © - all rights reserved
<http://www.phoenixcontact.com>