

Electronic housing - UM-ALU 4-100,5 PROFILE 60 - 2200936

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Panel mounting base, Lower part, color: aluminum color, width: 105 mm, length: 60 mm, height: 29.4 mm



Why buy this product

- Item is from the UM-ALU product range
- Aluminum press-drawn section
- Available in lengths from 42.5 mm ... 990 mm, can be cut to any length
- Available in overall widths of 75 mm and 105 mm
- Variety of connection technologies
- Can be mounted on the DIN rail
- EMC protection

Key Commercial Data

| | |
|--------------------------------------|--------------------------------|
| Packing unit | 1 STK |
| GTIN | 4 046356 716475 |
| GTIN | 4046356716475 |
| Weight per Piece (excluding packing) | 74.600 g |
| Custom tariff number | 76042990 |
| Country of origin | Germany |
| Note | Made to Order (non-returnable) |

Technical data

General

| | |
|------------------|---------------------|
| Housing type | Panel mounting base |
| Housing material | Aluminum |
| Color (RAL) | aluminum color |

Ambient conditions

| | |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -40 °C ... 100 °C |
|---------------------------------|-------------------|

Electronic housing - UM-ALU 4-100,5 PROFILE 60 - 2200936

Technical data

Dimensions


| | |
|-----------------------|----------|
| Length | 60 mm |
| Constructional height | 29.4 mm |
| Width | 105 mm |
| Depth | 100.5 mm |

Environmental Product Compliance

| | |
|------------|---------------------------------------------------------|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

Drawings

Dimensional drawing



Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 27180401 |
| eCl@ss 4.1 | 27180401 |
| eCl@ss 5.0 | 27180506 |
| eCl@ss 5.1 | 27180506 |
| eCl@ss 6.0 | 27182003 |
| eCl@ss 7.0 | 27182701 |
| eCl@ss 8.0 | 27182701 |
| eCl@ss 9.0 | 27182701 |

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC001031 |
| ETIM 4.0 | EC000721 |
| ETIM 5.0 | EC002779 |
| ETIM 6.0 | EC002779 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 31261501 |
| UNSPSC 7.0901 | 31261501 |
| UNSPSC 11 | 31261501 |

Electronic housing - UM-ALU 4-100,5 PROFILE 60 - 2200936

Classifications

UNSPSC

| | |
|--------------|----------|
| UNSPSC 12.01 | 31261501 |
| UNSPSC 13.2 | 31261501 |

Accessories

Necessary add-on products

Components of electronic housing - UM-ALU 4-100,5 COVER AL - 2200951



Panel mounting base, Side part, color: aluminum color, width: 105 mm, length: 2 mm, height: 31 mm

Components of electronic housing - UM-ALU 4-100,5 COVERLID 45 AL - 2201759



Panel mounting base, Side part, color: aluminum color, width: 105 mm, length: 2 mm, height: 58.5 mm

Components of electronic housing - UM-ALU 4-100,5 COVERLID 75 AL - 2201760



Panel mounting base, Side part, color: aluminum color, width: 105 mm, length: 2 mm, height: 73.5 mm

Mounting material - UM-ALU 4 FOOT - 2200974



Panel mounting base, Base latch, color: gray

Additional products

Electronic housing - UM-ALU 4-100,5 PROFILE 60 - 2200936

Accessories

Components of electronic housing - UM-ALU 4 AU45 L60 - 2200955



Panel mounting base, Upper part, color: aluminum color, width: 45 mm, length: 60 mm, height: 28.1 mm

Components of electronic housing - UM-ALU 4 AU75 L60 - 2200964



Panel mounting base, Upper part, color: aluminum color, width: 75 mm, length: 60 mm, height: 43.1 mm

Components of electronic housing - UM-ALU 4-100,5 FRONT 60 AP - 2202095



Panel mounting base, Front plate, color: aluminum color, width: 101.8 mm, length: 60 mm, height: 2 mm
