

Components of electronic housing - UM-ALU 4 AU45 L165 - 2200958

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Panel mounting base, Upper part, color: aluminum color, width: 45 mm, length: 165 mm, height: 28.1 mm

Why buy this product

- Item is from the UM-ALU product range
- Aluminum press-drawn section
- Available in lengths from 42.5 mm ... 990 mm, can be cut to any length
- Available in overall widths of 75 mm and 105 mm
- Variety of connection technologies
- Can be mounted on the DIN rail
- EMC protection

Key Commercial Data

Packing unit	1 STK
GTIN	
GTIN	4046356721011
Weight per Piece (excluding packing)	90.900 g
Custom tariff number	76042990
Country of origin	Germany
Note	Made to Order (non-returnable)

Technical data

General

Housing type	Panel mounting base
Housing material	Aluminum
Color (RAL)	aluminum color

Ambient conditions

Ambient temperature (operation)	-40 °C ... 100 °C
---------------------------------	-------------------

Components of electronic housing - UM-ALU 4 AU45 L165 - 2200958

Technical data

Dimensions


Length	165 mm
Constructional height	28.1 mm
Width	45 mm
Depth	45 mm

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings

Dimensional drawing



Classifications

eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27182003
eCl@ss 7.0	27182701
eCl@ss 8.0	27182701
eCl@ss 9.0	27182701

ETIM

ETIM 3.0	EC001031
ETIM 4.0	EC000721
ETIM 5.0	EC002779
ETIM 6.0	EC002779

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501

Components of electronic housing - UM-ALU 4 AU45 L165 - 2200958

Classifications

UNSPSC

UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Phoenix Contact 2017 © - all rights reserved
<http://www.phoenixcontact.com>