

# Components of electronic housing - UM-PRO 122 COVER-R KMGY - 2201229

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Lateral element (right) with mounting foot for DIN rails for UM-PRO profiles for PCB the width of 108 mm



#### Why buy this product

- Available in individual lengths
- Available in the overall widths of 72 mm, 108 mm, and 122 mm
- ✓ Variety of connection technologies
- Can be mounted on the DIN rail



### **Key Commercial Data**

Packing unit	10 STK
Minimum order quantity	250 STK
GTIN	4 046356 747677
GTIN	4046356747677
Weight per Piece (excluding packing)	18.970 g
Custom tariff number	39269097
Country of origin	Poland
Note	Made to Order (non-returnable)

### Technical data

### Standards and Regulations

Flammability rating according to UL 94	V0
Environmental Product Compliance	

China RoHS Environmentally friendly use period: unlimited = EFUP-e

11/06/2017 Page 1 / 3



# Components of electronic housing - UM-PRO 122 COVER-R KMGY - 2201229

### Technical data

**Environmental Product Compliance** 

	No hazardous substances above threshold values

### Classifications

### eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27182003
eCl@ss 7.0	27182003
eCl@ss 8.0	27182701
eCl@ss 9.0	27182701

#### **ETIM**

ETIM 3.0	EC001031
ETIM 4.0	EC000721
ETIM 5.0	EC002779
ETIM 6.0	EC002779

#### **UNSPSC**

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

## Approvals

Approvals

Approvals

**UL** Recognized

Ex Approvals

Approval details

11/06/2017 Page 2 / 3



# Components of electronic housing - UM-PRO 122 COVER-R KMGY - 2201229

### Approvals

**UL** Recognized



http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm

FILE E 240868

Phoenix Contact 2017 © - all rights reserved http://www.phoenixcontact.com