

Electronic housing - ME-PLC 40 DEV-KIT KMGY - 2202526

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



DEV-KIT ME-PLC: contains 1 x ME-PLC 40 housing and pluggable connection technology (36 positions), supplied in individual parts

Why buy this product

- ☑ Large housing with overall width of 40 mm for PCB with up to 15,000 mm² assembly area
- ✓ Plug-in front connection technology
- Optional perfboard for soldering THT components by hand



Key Commercial Data

| Packing unit | 1 STK |
|--------------------------------------|-----------------|
| GTIN | 4 055626 141763 |
| GTIN | 4055626141763 |
| Weight per Piece (excluding packing) | 490.600 g |
| Custom tariff number | 85366990 |
| Country of origin | Germany |

Technical data

General

| Housing type | Component housing |
|------------------|-------------------|
| Housing material | Polycarbonate |
| Color (RAL) | light gray |

Ambient conditions

| Ambient temperature (operation) | -40 °C 105 °C (depending on power dissipation) |
|---------------------------------|--|
|---------------------------------|--|

Dimensions

| Length | 180 mm |
|-----------------------|--------|
| Constructional height | 145 mm |
| Width | 40 mm |

10/27/2017 Page 1 / 3



Electronic housing - ME-PLC 40 DEV-KIT KMGY - 2202526

Technical data

Standards and Regulations

| Flammability rating according to UL 94 | V0 |
|--|---|
| Environmental Product Compliance | |
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
| | No hazardous substances above threshold values |

Classifications

eCl@ss

| eCl@ss 4.0 | 27180401 |
|------------|----------|
| eCl@ss 4.1 | 27180401 |
| eCl@ss 5.0 | 27180506 |
| eCl@ss 5.1 | 27180506 |
| eCl@ss 8.0 | 27182702 |
| eCl@ss 9.0 | 27182702 |

ETIM

| ETIM 3.0 | EC001031 |
|----------|----------|
| ETIM 4.0 | EC001031 |
| ETIM 5.0 | EC001031 |
| ETIM 6.0 | EC001031 |

UNSPSC

| UNSPSC 6.01 | 31261501 |
|---------------|----------|
| UNSPSC 7.0901 | 31261501 |
| UNSPSC 11 | 31261501 |
| UNSPSC 12.01 | 31261501 |
| UNSPSC 13.2 | 31261501 |

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

10/27/2017 Page 2 / 3



Electronic housing - ME-PLC 40 DEV-KIT KMGY - 2202526

Approvals

EAC B.01742

Accessories

Additional products

PCB - ME-PLC 40/36 BUS DEV-PCB - 2202546



Perfboard for the ME-PLC 40 DEV-KIT; for 36-pos. CCDN 2,5 header; suitable for manual soldering

Phoenix Contact 2017 © - all rights reserved http://www.phoenixcontact.com