

Electronic housing - ME-IO 18,8 C 2U MC10 7035 - 2202582

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Component housing, Cover, color: light gray, width: 20.94 mm, length: 111.9 mm, height: 16.3 mm

Why buy this product

- ▼ Tool-free mounting
- ✓ Available in overall widths from 18.8 mm
- ☑ Inflammability class V0 according to UL 94
- Front push-in connection technology
- Can be mounted on the DIN rail
- Optional with bus connector for DIN rail mounting



Key Commercial Data

Packing unit	30 STK
Minimum order quantity	30 STK
GTIN	4 055626 146232
GTIN	4055626146232
Weight per Piece (excluding packing)	2.790 g
Custom tariff number	85389099
Country of origin	China

Technical data

General

Housing type	Component housing
Housing material	Polyamide
Color (RAL)	light gray

Dimensions

Length	111.9 mm

11/02/2017 Page 1 / 3



Electronic housing - ME-IO 18,8 C 2U MC10 7035 - 2202582

Technical data

Dimensions

Constructional height	16.3 mm
Width	20.94 mm

Standards and Regulations

Flammability rating according to UL 94	V0

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 5.1	27180506
eCl@ss 8.0	27182702
eCl@ss 9.0	27182702

ETIM

ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC001031
ETIM 6.0	EC001031

UNSPSC

UNSPSC 13.2	31261501

Approvals

Approvals

Approvals

UL Recognized

Ex Approvals

Approval details

UL Recognized



http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm

FILE E 240868



Electronic housing - ME-IO 18,8 C 2U MC10 7035 - 2202582

Accessories

Accessories

Fiber optics

Component housing - HS LC-H-D2/ R2XC1-2,54 - 2202316



Fiber optics can be used for the ME, ME-MAX, ME-IO, ME PLC, and EH housing ranges (housing must be processed), color: transparent

Component housing - HS LC-H-D2/ R2XC4-2,54 - 2202531



Fiber optics can be used for the ME, ME-MAX, ME-IO, ME PLC, and EH housing ranges (housing must be processed), color: transparent

Phoenix Contact 2017 @ - all rights reserved http://www.phoenixcontact.com