

## **h** HIRSCHMANN

Product information GML 209 NJ GB1 grau/grey 933 398-106

GML 209 NJ GB1 grau/grey



	Bridge-type rectifier with protective circuit (varistor)
Delivery informations	
Availability	available
Product description	
Description	Bridge-type rectifier with protective circuit (varistor)
Туре	GML 209 NJ GB1 grau/grey
Order No.	933 398-106
Other standard types	black housing, Order No. 933 398-100
Number of contacts	2 + PE
Cable gland	PG 9
Conductor size	max. 0.75 mm <sup>2</sup>
Standard	industrial standard (11 mm)
Housing Color	grey
Construction type	B
Description of Wiring	
Voltage rectifier	bridge-type rectifier
Suppressor	Varistor
Technical data	
Pin dimensions	6.3 mm x 0.8 mm
Rated voltage	AC/DC 250 V
Rated current	2 A
Contact resistance	<= 4 m0hm
Type of termination	screw / cable shoe / cable eye
Suitable cables	4.5 mm to 7 mm diameter
Mounting	central screw
Material	
Contact surface material	Sn
Contact bearer material	PA
Housing material	PA
Environmental conditions	
Protection class (IEC 60529)	IP 65
Pollution severity	3
Temperature range	-40 °C to +90 °C
Inflammability class	
Housing	94 V-1
Contact bearer	94 HB
Approvals	
UR	UR
VDE	VDE
Packing unit	
Packaging unit	200 pieces

The information published has been compiled as carefully as possible. It is subject to alteration without notice in technical as well as in price related/commercial respect.


Name



## Scope of delivery and accessories

## Picture

Drawing



The information published has been compiled as carefully as possible. It is subject to alteration without notice in technical as well as in price related/commercial respect.