

SKINTOP® INOX / SKINTOP® INOX-R

SKINTOP® INOX / SKINTOP® INOX-R, corrosion-resistant stainless steel gland with smooth surfaces, compact design, seawater-resistant

Info

Stainless steel version with compact design
For use in the **splash zone** in food production



Temperature-resistant



Mechanical resistance



Wide clamping range



Good chemical resistance



Food & Beverage



Suitable for outdoor use

Benefits

Corrosion-resistant
Sea water-resistant
Smooth surfaces - no edges
Compact design
Wide, variable clamping ranges

Last Update (16.05.2017)

©2017 Lapp Group - Technical changes reserved

Product Management www.lappkabel.de

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02_03.16

SKINTOP® INOX / SKINTOP® INOX-R

Application range

Onshore and offshore applications
Bottling plants and breweries
Food industry (product-free zone, splash zone)

Norm references / approvals

ECOLAB®

Industry standard in the field of professional cleaning and disinfection in the food and beverage industry

DIN EN 1672-2

Food machines – General principles for design

DIN EN ISO 14159

Security of machinery – hygienic requirements for the design of machinery

Design

Metric connection thread according to DIN EN 60423
Basis for technical information DIN IEC 62444

Technical Data

Classification:	ETIM 5.0 Class-ID: EC000441 ETIM 5.0 Class-Description: Cable gland
Material:	Body: Stainless steel – V4A (1.4044 / 316L) Insert: Polyamide Sealing ring: Silicone O-ring: Silicone
Protection rating:	IP 68 - 10 bar (M12 - M20) IP 68 - 5 bar (M25 - M32) IP 69
Temperature range:	-40°C to +100°C

Note

Photographs are not to scale and do not represent detailed images of the respective products.
Prices are net prices without VAT and surcharges. Sale to business customers only.

**SKINTOP® INOX / SKINTOP® INOX-R**

Article number	Article designation / size	Clamping range ØF (mm)	Thread length, D (mm)	SW mm	Total length C (mm)
SKINTOP® INOX					
53806739	M 12 x 1,5	4 - 7	6.5	16	29.3
53806740	M 16 x 1,5	6 - 10	7	20	32.4
53806741	M 20 x 1,5	7 - 13	8	24	35.8
53806742	M 25 x 1,5	9 - 17	8	29	37.8
53806743	M 32 x 1,5	11 - 21	9	36	43.3
SKINTOP® INOX-R					
53806749	M 12 x 1,5	3 - 5	6.5	16	29.3
53806750	M 16 x 1,5	5 - 7	7	20	32.4
53806751	M 20 x 1,5	5 - 10	8	24	35.8
53806752	M 25 x 1,5	7 - 13	8	29	37.8
53806753	M 32 x 1,5	7 - 15	9	36	43.3

Last Update (16.05.2017)

©2017 Lapp Group - Technical changes reserved

Product Management www.lappkabel.de

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02_03.16

SKINTOP® INOX / SKINTOP® INOX-R

