

EPIC® SIGNAL M23 female contacts

Contacts, tools, accessories for circular connectors M23

EPIC® SIGNAL M23 female contacts for M23 circular connector series

Info

All contacts are high-quality gold-plated

Contacts are designed for a wide crimping range, therefore low number of variants

Contacts in solder or crimp version available



Reliability



Robust



Optimum strain relief



Oil-resistant



Mechanical resistance



Corrosion-resistant



Good chemical resistance

Note

Photographs are not to scale and do not represent detailed images of the respective products.

Prices are net prices without VAT and surcharges. Sale to business customers only.

**EPIC® SIGNAL M23 female contacts**

Article number	Article designation	Version	For design
1mm female contacts			
74020601	M23/LS1 BCMS 1mm AU 0.14-1.0	1mm female slot 0.14 - 1.0 mm ²	per inserts M23 (not D-Sub), LS1 D6, A6
74200600	M23/LS1 BCMS 1mm AU 0.14-1.0	1mm female slot 0.14 - 1.0 mm ²	per inserts M23 (not D-Sub), LS1 D6, A6
72402601	SIGNAL M23 BLMS 1mm AU 1.0	1mm female slot solder up to 1mm ²	M23 inserts (not D-Sub)
72402600	SIGNAL M23 BLMS 1mm AU 1.0	1mm female slot solder up to 1mm ²	M23 inserts (not D-Sub)
74034500	M23/LS1 BCMD 1mm AU 0.14-1.0	1mm female hyperboloid 0.14-1.0 mm ²	per inserts M23 (not D-Sub), LS1 D6, A6
74034501	M23/LS1 BCMD 1mm AU 0.14-1.0	1mm female hyperboloid 0.14-1.0 mm ²	per inserts M23 (not D-Sub), LS1 D6, A6
2mm contacts female			
72401601	SIGNAL M23 BCMS 2mm AU 1,0-2,5	2mm female crimp 1.0-2.5 mm ²	M23 inserts (not D-Sub)
72401600	2mm female crimp 1.0-2.5 mm ²	M23 inserts (not D-Sub)	
72404100	SIGNAL M23 BLMS 2mm AU 2.5	2mm female solder up to 2.5mm ²	M23 inserts (not D-Sub)
72404000	SIGNAL M23 BLMS 2mm AU 2.5	2mm female solder up to 2.5mm ²	M23 inserts (not D-Sub)

Last Update (18.05.2017)

©2017 Lapp Group - Technical changes reserved

Product Management www.lappkabel.de

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02_03_16

EPIC® SIGNAL M23 female contacts



Last Update (18.05.2017)

©2017 Lapp Group - Technical changes reserved

Product Management www.lappkabel.de

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02_03.16