

Product information ACA21-USB EEC

Industrial Ethernet:System Accessories:Adapter cable:ACA21-USB EEC http://www.e-catalog.beldensolutions.com/link/57078-24455-24544-24546-40816/en/conf/uistate	
Name	ACA21-USB EEC
Maine	AURZ1-030 LLU
	Auto-configuration adapter, with USB connection and extended temperature range, saves two different versions of configuration data and operating software
	from the connected switch. It enables managed switched to be easily comissioned and quickly replaced.
Delivery informations	
Availability	no longer available
Product description	
Description	Auto-configuration adapter, with USB connection and extended temperature range, saves two different versions of configuration data and operating software
	from the connected switch. It enables managed switched to be easily comissioned and quickly replaced.
Туре	ACA21-USB EEC
Order No.	943 271-002
will be replaced by	ACA21-USB EEC
More Interfaces	
To the RS232 interface on the switch	USB connection
To the RS232 interface on the PC or notebook	n/a
To the USB interface on the switch	USB connector
Power requirements	
Operating voltage	via the USB interface on the switch
Service	
Diagnostics	writing to ACA, reading from ACA, writing/reading not OK;
	(display using LEDs on the switch)
Configuration	via USB interface of the switch and via SNMP/Web
Ambient conditions	1,000
Operating temperature	-40 °C 70 °C
Storage/transport temperature	-40 °C 85 °C
Relative humidity (non-condensing)	10 % 95 %
MTBF	359 years (MIL-HDBK-217F)
Mechanical construction	20 27 40
Dimensions (W x H x D)	90 mm x 27 mm x 12 mm
Mounting	plug-in module
Weight	25 g
Protection class	IP20
Cable length	20 cm
Mechanical stability IEC 60068-2-27 shock	15 a 11 me duration 18 chacks
IEC 60068-2-6 vibration	15 g, 11 ms duration, 18 shocks
EMC interference immunity	1 g, 10 Hz - 150 Hz, 30 cycles
EN 61000-4-2 electrostatic discharge (ESD)	6 kV contact discharge, 8 kV air discharge
EN 61000-4-3 electromagnetic field	10 V/m
EMC emitted immunity	10 1/11
EN 55022	EN 55022
Approvals	
Hazardous locations	ISA 12.12.01 Class 1 Div. 2 (pending)
Shipbuilding	Germanischer Lloyd (pending)
Safety of information technology equipment	CUL 60950-1 (pending)
Safety of industrial control equipment	CUL 508

