

# FL SWITCH EP7400-M4GRJ45-4GSFP - Communication module



1539361

<https://www.phoenixcontact.com/gb/products/1539361>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Extension module, provides four RJ45 ports at 10/100/1000 Mbps and four SFP ports at 100/1000 Mbps



## Commercial data

Item number	1539361
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DNN511
Product key	DNN511
GTIN	4067923011953
Weight per piece (including packing)	670 g
Weight per piece (excluding packing)	444 g
Country of origin	CA

# FL SWITCH EP7400-M4GRJ45-4GSFP - Communication module



1539361

<https://www.phoenixcontact.com/gb/products/1539361>

## Technical data

### Product properties

Product type	Extension module
Product family	Managed Switch EP7000

### System properties

#### Functionality

Basic functions	Media module for modular managed switch
-----------------	---

### Interfaces

#### Ethernet

Connection method	RJ45
Transmission speed	10/100/1000 Mbps
Transmission physics	Ethernet in RJ45 twisted pair
Transmission length	100 m (per segment)

#### Ethernet (SFP)

Connection method	SFP
Transmission speed	100/1000 Mbps (full duplex)
Transmission physics	Depending on the SFP module

### Environmental and real-life conditions

#### Ambient conditions

Degree of protection	IP40
Ambient temperature (operation)	-40 °C ... 85 °C (Type tested to 85 °C for 16 hours)
Ambient temperature (storage/transport)	-40 °C ... 85 °C
Permissible humidity (operation)	10 % ... 95 % (non-condensing)
Permissible humidity (storage/transport)	10 % ... 95 % (non-condensing)

### Standards and regulations

Standards/specifications	IEC 61850-3
	IEEE 1613

### Mounting

Mounting type	Internal module for rack switch
---------------	---------------------------------

# FL SWITCH EP7400-M4GRJ45-4GSFP - Communication module



1539361

<https://www.phoenixcontact.com/gb/products/1539361>

## Classifications

### ECLASS

ECLASS-11.0	19170407
ECLASS-13.0	19170401

# FL SWITCH EP7400-M4GRJ45-4GSFP - Communication module



1539361

<https://www.phoenixcontact.com/gb/products/1539361>

## Environmental product compliance

### EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c), 7(a), 7(c)-I, 7(c)-II

### China RoHS

Environment friendly use period (EFUP)	EFUP-50
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.

### EU REACH SVHC

REACH candidate substance (CAS No.)	1-Methyl-2-pyrrolidone (NMP)(CAS: 872-50-4)
	N,N-dimethylacetamide(CAS: 127-19-5)
	Hexahydromethylphthalic anhydride(CAS: n/a)
	Lead titanium zirconium oxide(CAS: 12626-81-2)
	Lead titanium trioxide(CAS: 12060-00-3)
	4,4'-isopropylidenediphenol(CAS: 80-05-7)
	Terphenyl, hydrogenated(CAS: 61788-32-7)
	Lead(CAS: 7439-92-1)
	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one(CAS: 71868-10-5)

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT Ltd  
Halesfield 13, Telford  
Shropshire, TF7 4PG  
01952 681700  
[info@phoenixcontact.co.uk](mailto:info@phoenixcontact.co.uk)