

ANT-OMNI-2459-02 - Antenna



2701408

<https://www.phoenixcontact.com/gb/products/2701408>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Omnidirectional antenna for control cabinet mounting, frequency band: 2.4 GHz / 5 GHz, gain: 2.5 dBi / 5 dBi, degree of protection: IP68, connection: N (male)

Your advantages

- Ideally suited for freely mobile or stationary applications with 2.4 GHz or 5 GHz

Commercial data

Item number	2701408
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DNN2Z1
Product key	DNN2Z1
Catalog page	Page 388 (C-6-2019)
GTIN	4046356746731
Weight per piece (including packing)	58.5 g
Weight per piece (excluding packing)	58.5 g
Customs tariff number	85177100
Country of origin	TW

2701408

<https://www.phoenixcontact.com/gb/products/2701408>

Technical data

Product properties

Product type	Antenna
Radiation characteristics	Omnidirectional
Gain	2.5 dBi (2.4 GHz)
	5 dBi (5 GHz)
Vertical beamwidth	30 ° (at 2.4 GHz)
	16 ° (at 5 GHz)
Horizontal beamwidth	360 ° (at 2.4 GHz)
	360 ° (at 5 GHz)
Polarization	Linear vertical

Electrical properties

Frequency band	2.4 GHz
	5 GHz
Frequency range	2.4 GHz ... 2.5 GHz
	5.15 GHz ... 5.85 GHz
Impedance	50 Ω
Maximum capacity	2.00 W

Connection data

Connection technology

Connection method	N (male)
-------------------	----------

Dimensions

Length	180 mm
Diameter	23 mm

Material specifications

Material	ABS-PC
Material	ABS-PC (Radom)

Cable/line

Connecting cable	No
------------------	----

Environmental and real-life conditions

Ambient conditions

Degree of protection	IP68
Ambient temperature (operation)	-40 °C ... 70 °C
Ambient temperature (storage/transport)	-40 °C ... 70 °C

Mounting

ANT-OMNI-2459-02 - Antenna



2701408

<https://www.phoenixcontact.com/gb/products/2701408>

Mounting type	Control cabinet
Assembly instructions	Accessories required
	Outdoors and indoors
Connection method	N (male)

ANT-OMNI-2459-02 - Antenna


2701408

<https://www.phoenixcontact.com/gb/products/2701408>



Drawings

Schematic diagram



Installation example

ANT-OMNI-2459-02 - Antenna



2701408

<https://www.phoenixcontact.com/gb/products/2701408>

Classifications

ECLASS

ECLASS-11.0	19070105
ECLASS-12.0	19070105
ECLASS-13.0	19070105

ETIM

ETIM 8.0	EC001698
----------	----------

UNSPSC

UNSPSC 21.0	43223100
-------------	----------

ANT-OMNI-2459-02 - Antenna



2701408

<https://www.phoenixcontact.com/gb/products/2701408>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

ANT-OMNI-2459-02 - Antenna

2701408

<https://www.phoenixcontact.com/gb/products/2701408>

Mandatory accessories

RAD-PIG-EF316-N-RSMA - Antenna cable

2701402

<https://www.phoenixcontact.com/gb/products/2701402>

Antenna cable for control cabinet feed-through, outside diameter: 3.2 mm (0.126 in.), inner conductor: stranded, attenuation: 0.6 / 0.9 / 1.4 dB at 0.9 / 2.4 / 5.8 GHz, connection: N (female) -> RSMA (male), cable length: 0.5 m (1.6 ft.)



Accessories

RAD-ADP-N/F-N/F - Adapter

2867843

<https://www.phoenixcontact.com/gb/products/2867843>

Antenna adapter for control cabinet feed-through, frequency range: 0.3 GHz ... 6 GHz, degree of protection: IP65, connection: 2 x N (female)



Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT Ltd
Halesfield 13, Telford
Shropshire, TF7 4PG
01952 681700
info@phoenixcontact.co.uk