

2903447

https://www.phoenixcontact.com/gb/products/2903447

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Radioline - USB data cable for communication between the PC and Radioline devices, energy supply for diagnostics and configuration via the USB port of the PC, cable length: $2\ m$ / $6.5\ ft$

Your advantages

• Power supply for diagnostics and configuration via the USB port of the PC

Commercial data

Item number	2903447
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DNC61Z
Product key	DNC61Z
Catalog page	Page 376 (C-6-2019)
GTIN	4046356739429
Weight per piece (including packing)	70 g
Weight per piece (excluding packing)	64.3 g
Customs tariff number	85444290
Country of origin	DE



2903447

https://www.phoenixcontact.com/gb/products/2903447

Technical data

Notes

ı	14:	lizatio		4-:-	4:
ı	ITI	แรลเเก	n res	tric	tion

EMC note	EMC: class A product, see manufacturer's declaration in the
	download area

Product properties

Product type	Programming cable
Sensor type	USB

Electrical properties

Transmission medium	Copper
---------------------	--------

Connection data

PC side

Connection method	USB 2.0 Fullspeed
Notes	serial
Device side	
Connection method	IFS data port

Material specifications

Material	PVC
Material	PVC

Cable/line

Cable length	2 m
External cable diameter	3.50 mm

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-25 °C 70 °C (-13 °F 158 °F)
Ambient temperature (storage/transport)	-40 °C 85 °C (-40 °F 185 °F)
Max. permissible relative humidity (operation)	≤ 90 % (at 25 °C, non-condensing)

Approvals

EAC

Identification

EMC data

Noise immunity	EN 61000-6-2
Electromagnetic compatibility	Conformance with EMC Directive 2014/30/EU



2903447

https://www.phoenixcontact.com/gb/products/2903447

Noise emission EN 61000	
-------------------------	--




https://www.phoenixcontact.com/gb/products/2903447



Drawings

Schematic diagram



Example application



2903447

https://www.phoenixcontact.com/gb/products/2903447

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/gb/products/2903447



EAC

Approval ID: 19060508



2903447

https://www.phoenixcontact.com/gb/products/2903447

Classifications

ECLASS

	ECLASS-11.0	19179090	
	ECLASS-12.0	19179090	
	ECLASS-13.0	19179090	
ETIM			
	ETIM 8.0	EC002608	
UNSPSC			
	UNSPSC 21.0	43222600	



2903447

https://www.phoenixcontact.com/gb/products/2903447

Environmental product compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"



2903447

https://www.phoenixcontact.com/gb/products/2903447

Accessories

RAD-2400-IFS - Wireless module

2901541

https://www.phoenixcontact.com/gb/products/2901541



Radioline - 2.4 GHz wireless transceiver with RS-232/RS-485 interface, can be extended with I/O modules, RSMA (female) antenna connection, point-to-point, star, and mesh networks up to 250 stations, range of up to 5 km (with a clear line of sight), for worldwide use

RAD-900-IFS - Wireless module

2901540

https://www.phoenixcontact.com/gb/products/2901540



Radioline - 900 MHz wireless transceiver with RS-232/485 interface, can be extended with I/O modules, RSMA (female) antenna connection, point-to-point, star, and mesh networks up to 250 stations, range of up to 32 km (line of sight), use in North America



2903447

https://www.phoenixcontact.com/gb/products/2903447

RAD-868-IFS - Wireless module

2904909

https://www.phoenixcontact.com/gb/products/2904909



Radioline - 868 MHz wireless transceiver with RS-232/RS-485 interface, can be extended with I/O modules, RSMA (female) antenna connection, point-to-point, star, and mesh networks up to 99 stations, range of up to 20 km (with a clear line of sight), for use in Europe

RAD-RS485-IFS - Communication module

2702184

https://www.phoenixcontact.com/gb/products/2702184



Radioline - RS-485 multipoint multiplexer, can be extended with I/O modules, can be used as Modbus/RTU bus coupler or can be combined with Radioline wireless system, up to 99 stations, range of up to 1.2 km on in-house copper cables

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

PHOENIX CONTACT Ltd Halesfield 13, Telford Shropshire, TF7 4PG 01952 681700 info@phoenixcontact.co.uk